

	Type	Hits	Search Text	DBs
1	BRS	179	((feature or mark\$3 or pattern) near5 (detect\$4 or ident\$8 or locat\$4 or recogni\$9 or ((determin\$5 or analy\$5) near3 (presen\$3)))) same (correlat\$4 and histogram)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	BRS	4639	382/141,144,145,147,148-151,159,160,168,170,209,278.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	BRS	26	((feature or mark\$3 or pattern) near5 (detect\$4 or ident\$8 or locat\$4 or recogni\$9 or ((determin\$5 or analy\$5) near3 (presen\$3)))) same (correlat\$4 and histogram) and 382/141,144,145,147,148-151,159,160,168,170,209,278.ccls.	USPAT
4	BRS	26	((feature or mark\$3 or pattern) near5 (detect\$4 or ident\$8 or locat\$4 or recogni\$9 or ((determin\$5 or analy\$5) near3 (presen\$3)))) same (correlat\$4 and histogram) and 382/141,144,145,147,148-151,159,160,168,170,209,278.ccls.	USPAT
5	IS&R	3	((("5579415") or ("5204911") or ("5982945"))).PN.	USPAT
6	BRS	3	((("5579415") or ("5204911") or ("5982945"))).PN.) and (correlat\$4 and histogram)	USPAT
7	BRS	0	5982945.pn. and normali\$8	USPAT
8	BRS	1	6678043.pn. and histogram	USPAT
9	IS&R	3	((("6553131") or ("6473517") or ("6378572"))).PN.	USPAT
10	BRS	0	((("6553131") or ("6473517") or ("6378572"))).PN.) and (correlat\$4 and histogram)	USPAT
11	BRS	2	((("6553131") or ("6473517") or ("6378572"))).PN.) and (correlat\$4 or histogram)	USPAT
12	BRS	1	6289117.pn. and histogram	USPAT
13	BRS	21	3705383.URPN.	USPAT

	Type	Hits	Search Text	DBs
14	BRS	228	((feature or mark\$3 or pattern) near5 (detect\$4 or ident\$8 or locat\$4 or recogni\$9 or ((determin\$5 or analy\$5) near3 (presen\$3)))) same (normali\$7 near4 correlat\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
15	BRS	1449	((feature or mark\$3 or pattern) near5 (detect\$4 or ident\$8 or locat\$4 or recogni\$9 or ((determin\$5 or analy\$5) near3 (presen\$3)))) same (correlat\$4 with (template or reference))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
16	BRS	163	((feature or mark\$3 or pattern) near5 (detect\$4 or ident\$8 or locat\$4 or recogni\$9 or ((determin\$5 or analy\$5) near3 (presen\$3)))) same (correlat\$4 with (template or reference))) and (correlat\$7 near4 normali\$7)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
17	BRS	144	((feature or mark\$3 or pattern) near5 (detect\$4 or ident\$8 or locat\$4 or recogni\$9 or ((determin\$5 or analy\$5) near3 (presen\$3)))) same (correlat\$4 with (template or reference))) and (correlat\$7 near2 normali\$7)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
18	BRS	0	hei.in. and (correlat\$6 with histogram)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
19	BRS	0	hei.in. and (correlat\$6 same histogram)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
20	BRS	1	6636634.pn. and normali\$7	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
21	BRS	144	((feature or mark\$3 or pattern) near5 (detect\$4 or ident\$8 or locat\$4 or recogni\$9 or ((determin\$5 or analy\$5) near3 (presen\$3)))) same (correlat\$4 with (template or reference))) and (correlat\$7 near2 normali\$7)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
22	BRS	144	(((((feature or mark\$3 or pattern) near5 (detect\$4 or ident\$8 or locat\$4 or recogni\$9 or ((determin\$5 or analy\$5) near3 (presen\$3)))) same (correlat\$4 with (template or reference))) and (correlat\$7 near2 normali\$7) ) and normali\$7	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
23	BRS	18	("4442361"   "4890239"   "5124927"   "5153678"   "5444538"   "5648854"   "5654540"   "5657129"   "5754299"   "5757480"   "5920398"   "5989759"   "5995234"   "6064486"   "6100985"   "6141108"   "6298470"   "6304999").PN.	USPAT
24	BRS	49	(((((feature or mark\$3 or pattern) near5 (detect\$4 or ident\$8 or locat\$4 or recogni\$9 or ((determin\$5 or analy\$5) near3 (presen\$3)))) same (correlat\$4 with (template or reference))) and ((brightness or gray or grey or intensity or luminan\$3) near3 normali\$7)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
25	BRS	0	(((((("5579415") or ("5204911") or ("5982945"))).PN.) and (correlat\$4 and histogram)) and train\$4	USPAT
26	BRS	31	(((((feature or mark\$3 or pattern) near5 (detect\$4 or ident\$8 or locat\$4 or recogni\$9 or ((determin\$5 or analy\$5) near3 (presen\$3)))) same (correlat\$4 with (template or reference))) and (correlat\$7 near2 normali\$7) ) and normali\$7) and train\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
27	BRS	1	6636634.pn. and learn\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
28	BRS	0	5995652.pn. and averag\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
29	BRS	12	"5696838"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
30	BRS	2	5696838.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
31	BRS	1737	((feature or mark\$3 or pattern) near5 (detect\$4 or ident\$8 or locat\$4 or recogni\$9 or ((determin\$5 or analy\$5) near3 (presen\$3)))) same (correlat\$4 with (template or reference or target))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
32	BRS	9	((feature or mark\$3 or pattern) near5 (detect\$4 or ident\$8 or locat\$4 or recogni\$9 or ((determin\$5 or analy\$5) near3 (presen\$3)))) same (correlat\$4 with (template or reference or target)) ) same ((template or reference or target) near5 averag\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
33	BRS	41	4475122.URPN.	USPAT
34	BRS	4639	382/141,144,145,147,148-151,159,160,168,170,209,278.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
35	BRS	24	((feature or mark\$3 or pattern) near5 (detect\$4 or ident\$8 or locat\$4 or recogni\$9 or ((determin\$5 or analy\$5) near3 (presen\$3)))) same (correlat\$4 with (template or reference or target)) ) and ((template or reference or target) near5 averag\$4)) and 382/141,144,145,147,148-151,159,160,168,170,209,278.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
36	BRS	142	((feature or mark\$3 or pattern) near5 (detect\$4 or ident\$8 or locat\$4 or recogni\$9 or ((determin\$5 or analy\$5) near3 (presen\$3)))) same (correlat\$4 with (template or reference or target)) ) and ((template or reference or target) near5 averag\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
37	BRS	118	((((feature or mark\$3 or pattern) near5 (detect\$4 or ident\$8 or locat\$4 or recogni\$9 or ((determin\$5 or analy\$5) near3 (presen\$3)))) same (correlat\$4 with (template or reference or target)) ) and ((template or reference or target) near5 averag\$4)) not (((((feature or mark\$3 or pattern) near5 (detect\$4 or ident\$8 or locat\$4 or recogni\$9 or ((determin\$5 or analy\$5) near3 (presen\$3)))) same (correlat\$4 with (template or reference or target)) ) and ((template or reference or target) near5 averag\$4)) and 382/141,144,145,147,148-151,159,160,168,170,209,278.ccls. )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
38	BRS	110	((((((feature or mark\$3 or pattern) near5 (detect\$4 or ident\$8 or locat\$4 or recogni\$9 or ((determin\$5 or analy\$5) near3 (presen\$3)))) same (correlat\$4 with (template or reference or target)) ) and ((template or reference or target) near5 averag\$4)) not (((((feature or mark\$3 or pattern) near5 (detect\$4 or ident\$8 or locat\$4 or recogni\$9 or ((determin\$5 or analy\$5) near3 (presen\$3)))) same (correlat\$4 with (template or reference or target)) ) and ((template or reference or target) near5 averag\$4)) and 382/141,144,145,147,148-151,159,160,168,170,209,278.ccls. )) not (((feature or mark\$3 or pattern) near5 (detect\$4 or ident\$8 or locat\$4 or recogni\$9 or ((determin\$5 or analy\$5) near3 (presen\$3)))) same (correlat\$4 with (template or reference or target)) ) same ((template or reference or target) near5 averag\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
39	BRS	37	382/209.ccls. and (template near5 averag\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
40	BRS	10	382/209.ccls. and ((template near5 (plural\$3 or multiple or set)) with averag\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
41	BRS	31	(((((feature or mark\$3 or pattern) near5 (detect\$4 or ident\$8 or locat\$4 or recogni\$9 or ((determin\$5 or analy\$5) near3 (presen\$3)))) same (correlat\$4 with (template or reference))) and (correlat\$7 near2 normali\$7) ) and normali\$7) and train\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
42	BRS	17	(((((feature or mark\$3 or pattern) near5 (detect\$4 or ident\$8 or locat\$4 or recogni\$9 or ((determin\$5 or analy\$5) near3 (presen\$3)))) same (correlat\$4 with (template or reference))) and (correlat\$7 near2 normali\$7) ) and normali\$7) and train\$4 ) and averag\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
43	BRS	25	(((((feature or mark\$3 or pattern) near5 (detect\$4 or ident\$8 or locat\$4 or recogni\$9 or ((determin\$5 or analy\$5) near3 (presen\$3)))) same (correlat\$4 with (template or reference))) and (correlat\$7 near2 normali\$7) ) and normali\$7) and train\$4 ) and (correlat\$5 near5 (high\$3 or great\$3 or maxim\$4 or large\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
44	BRS	9159	((((feature or mark\$3 or pattern) near5 (detect\$4 or ident\$8 or locat\$4 or recogni\$9 or ((determin\$5 or analy\$5) near3 (presen\$3)))) same (correlat\$4 with (template or reference or target)) ) or (template near5 (match\$4 or correlat\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
45	BRS	4361	((feature or mark\$3 or pattern) near5 (detect\$4 or ident\$8 or locat\$4 or recogni\$9 or ((determin\$5 or analy\$5) near3 (presen\$3)))) same (correlat\$4 with (template or reference or target)) ) or ((template near5 (match\$4 or correlat\$4)) same (image))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
46	BRS	1988	((feature or mark\$3 or pattern) near5 (detect\$4 or ident\$8 or locat\$4 or recogni\$9 or ((determin\$5 or analy\$5) near3 (presen\$3)))) same (correlat\$4 with (template or reference or target)) ) or ((template near5 (match\$4 or correlat\$4)) same (image))) and ((template\$1 or reference or target) near4 (multiple or plural\$3 or set or numerous or several))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
47	BRS	320	((feature or mark\$3 or pattern) near5 (detect\$4 or ident\$8 or locat\$4 or recogni\$9 or ((determin\$5 or analy\$5) near3 (presen\$3)))) same (correlat\$4 with (template or reference or target)) ) or ((template near5 (match\$4 or correlat\$4)) same (image))) and ((template\$1 or reference or target) near4 (multiple or plural\$3 or set or numerous or several))) and ((template\$1 or reference or target) near5 correlat\$5 near5 (high\$3 or great\$3 or maxim\$4 or large\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
48	BRS	310	(((((feature or mark\$3 or pattern) near5 (detect\$4 or ident\$8 or locat\$4 or recogni\$9 or ((determin\$5 or analy\$5) near3 (presen\$3)))) same (correlat\$4 with (template or reference or target)) ) or ((template near5 (match\$4 or correlat\$4)) same (image))) and ((template\$1 or reference or target) near4 (multiple or plural\$3 or set or numerous or several))) and ((template\$1 or reference or target) near5 (correlat\$5 near3 (high\$3 or great\$3 or maxim\$4 or large\$2))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
49	BRS	78	(((((feature or mark\$3 or pattern) near5 (detect\$4 or ident\$8 or locat\$4 or recogni\$9 or ((determin\$5 or analy\$5) near3 (presen\$3)))) same (correlat\$4 with (template or reference or target)) ) or ((template near5 (match\$4 or correlat\$4)) same (image))) and ((template\$1 or reference or target) near4 (multiple or plural\$3 or set or numerous or several))) and ((template\$1 or reference or target) near5 (correlat\$5 near3 (high\$3 or great\$3 or maxim\$4 or large\$2)))) and 382/141,144,145,147,148-151,159,160,168,170,209,278.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB



	Type	Hits	Search Text	DBs
50	BRS	75	((((feature or mark\$3 or pattern) near5 (detect\$4 or ident\$8 or locat\$4 or recogni\$9 or ((determin\$5 or analy\$5) near3 (presen\$3)))) same (correlat\$4 with (template or reference or target)) ) or ((template near5 (match\$4 or correlat\$4)) same (image))) and (((template\$1 or reference or target) near4 (multiple or plural\$3 or set or numerous or several)) same ((template\$1 or reference or target) near5 (correlat\$5 near3 (high\$3 or great\$3 or maxim\$4 or large\$2)))) not (((((((feature or mark\$3 or pattern) near5 (detect\$4 or ident\$8 or locat\$4 or recogni\$9 or ((determin\$5 or analy\$5) near3 (presen\$3)))) same (correlat\$4 with (template or reference or target)) ) or ((template near5 (match\$4 or correlat\$4)) same (image))) and ((template\$1 or reference or target) near4 (multiple or plural\$3 or set or numerous or several))) and ((template\$1 or reference or target) near5 (correlat\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
51	BRS	108	((((feature or mark\$3 or pattern) near5 (detect\$4 or ident\$8 or locat\$4 or recogni\$9 or ((determin\$5 or analy\$5) near3 (presen\$3)))) same (correlat\$4 with (template or reference or target)) ) or ((template near5 (match\$4 or correlat\$4)) same (image))) and (((template\$1 or reference or target) near4 (multiple or plural\$3 or set or numerous or several)) same ((template\$1 or reference or target) near5 (correlat\$5 near3 (high\$3 or great\$3 or maxim\$4 or large\$2))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
52	BRS	104	((((feature or mark\$3 or pattern) near5 (detect\$4 or ident\$8 or locat\$4 or recogni\$9 or ((determin\$5 or analy\$5) near3 (presen\$3)))) same (correlat\$4 with (template or reference or target)) ) or ((template near5 (match\$4 or correlat\$4)) same (image))) and (((template\$1 or reference or target) near4 (multiple or plural\$3 or set or numerous or several)) same ((template\$1 or reference or target) near5 (correlat\$5 near3 (high\$3 or great\$3 or maxim\$4 or large\$2)))) not (((((((feature or mark\$3 or pattern) near5 (detect\$4 or ident\$8 or locat\$4 or recogni\$9 or ((determin\$5 or analy\$5) near3 (presen\$3)))) same (correlat\$4 with (template or reference))) and (correlat\$7 near2 normali\$7) ) and normali\$7) and train\$4 ) and (correlat\$5 near5 (high\$3 or great\$3 or maxim\$4 or large\$2)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
53	BRS	166	((((feature or mark\$3 or pattern) near5 (detect\$4 or ident\$8 or locat\$4 or recogni\$9 or ((determin\$5 or analy\$5) near3 (presen\$3)))) same (correlat\$4 with (template or reference or target)) ) or ((template near5 (match\$4 or correlat\$4)) same (image))) and (template with train\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
54	BRS	17	((((feature or mark\$3 or pattern) near5 (detect\$4 or ident\$8 or locat\$4 or recogni\$9 or ((determin\$5 or analy\$5) near3 (presen\$3)))) same (correlat\$4 with (template or reference or target)) ) or ((template near5 (match\$4 or correlat\$4)) same (image))) and ((template with train\$4) same (template with averag\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
55	BRS	69	((((feature or mark\$3 or pattern) near5 (detect\$4 or ident\$8 or locat\$4 or recogni\$9 or ((determin\$5 or analy\$5) near3 (presen\$3)))) same (correlat\$4 with (template or reference or target)) ) or ((template near5 (match\$4 or correlat\$4)) same (image))) and (((template\$1 or reference or target) near4 (multiple or plural\$3 or set or numerous or several)) same ((template\$1 or reference or target) near3 (averag\$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
56	BRS	61	((((((feature or mark\$3 or pattern) near5 (detect\$4 or ident\$8 or locat\$4 or recogni\$9 or ((determin\$5 or analy\$5) near3 (presen\$3)))) same (correlat\$4 with (template or reference or target)) ) or ((template near5 (match\$4 or correlat\$4)) same (image))) and (((template\$1 or reference or target) near4 (multiple or plural\$3 or set or numerous or several)) same ((template\$1 or reference or target) near3 (averag\$3)))) not (((((feature or mark\$3 or pattern) near5 (detect\$4 or ident\$8 or locat\$4 or recogni\$9 or ((determin\$5 or analy\$5) near3 (presen\$3)))) same (correlat\$4 with (template or reference or target)) ) or ((template near5 (match\$4 or correlat\$4)) same (image))) and ((template with train\$4) same (template with averag\$4)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
57	BRS	54	((((((feature or mark\$3 or pattern) near5 (detect\$4 or ident\$8 or locat\$4 or recogni\$9 or ((determin\$5 or analy\$5) near3 (presen\$3)))) same (correlat\$4 with (template or reference or target)) ) or ((template near5 (match\$4 or correlat\$4)) same (image))) and (((template\$1 or reference or target) near4 (multiple or plural\$3 or set or numerous or several)) same ((template\$1 or reference or target) near3 (averag\$3)))) not (((((feature or mark\$3 or pattern) near5 (detect\$4 or ident\$8 or locat\$4 or recogni\$9 or ((determin\$5 or analy\$5) near3 (presen\$3)))) same (correlat\$4 with (template or reference or target)) ) or ((template near5 (match\$4 or correlat\$4)) same (image))) and ((template with train\$4) same (template with averag\$4)))) not (((((feature or mark\$3 or pattern) near5 (detect\$4 or ident\$8 or locat\$4 or recogni\$9 or ((determin\$5 or analy\$5) near3 (presen\$3)))) same (correlat\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
58	BRS	53	(((((((feature or mark\$3 or pattern) near5 (detect\$4 or ident\$8 or locat\$4 or recogni\$9 or ((determin\$5 or analy\$5) near3 (presen\$3)))) same (correlat\$4 with (template or reference or target)) ) or ((template near5 (match\$4 or correlat\$4)) same (image))) and (((template\$1 or reference or target) near4 (multiple or plural\$3 or set or numerous or several)) same ((template\$1 or reference or target) near3 (averag\$3)))) not ((((((feature or mark\$3 or pattern) near5 (detect\$4 or ident\$8 or locat\$4 or recogni\$9 or ((determin\$5 or analy\$5) near3 (presen\$3)))) same (correlat\$4 with (template or reference or target)) ) or ((template near5 (match\$4 or correlat\$4)) same (image))) and ((template with train\$4) same (template with averag\$4)))) not ((((((feature or mark\$3 or pattern) near5 (detect\$4 or ident\$8 or locat\$4 or recogni\$9 or ((determin\$5 or analy\$5) near3 (presen\$3)))) same (correlat\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
59	BRS	1	6031539.pn. and averag\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
60	BRS	447	(((((((feature or mark\$3 or pattern) near5 (detect\$4 or ident\$8 or locat\$4 or recogni\$9 or ((determin\$5 or analy\$5) near3 (presen\$3)))) same (correlat\$4 with (template or reference or target)) ) or ((template near5 (match\$4 or correlat\$4)) same (image))) and ((compress\$4 or resolution) near5 (template\$1 or reference or target))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
61	BRS	189	(((((feature or mark\$3 or pattern) near5 (detect\$4 or ident\$8 or locat\$4 or recogni\$9 or ((determin\$5 or analy\$5) near3 (presen\$3)))) same (correlat\$4 with (template or reference or target)) ) or ((template near5 (match\$4 or correlat\$4)) same (image))) and (((compress\$4 or ((decreas\$4 or reduc\$4 or lower\$4) near3 resolution)) near5 (template\$1 or reference or target)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
62	BRS	38	(((((feature or mark\$3 or pattern) near5 (detect\$4 or ident\$8 or locat\$4 or recogni\$9 or ((determin\$5 or analy\$5) near3 (presen\$3)))) same (correlat\$4 with (template or reference or target)) ) or ((template near5 (match\$4 or correlat\$4)) same (image))) and (((decreas\$4 or reduc\$4 or lower\$4) near3 resolution)) near5 (template\$1 or reference or target)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
63	BRS	43	(((((feature or mark\$3 or pattern) near5 (detect\$4 or ident\$8 or locat\$4 or recogni\$9 or ((determin\$5 or analy\$5) near3 (presen\$3)))) same (correlat\$4 with (template or reference or target)) ) or ((template near5 (match\$4 or correlat\$4)) same (image))) and (((decreas\$4 or reduc\$4 or lower\$4) near3 resolution) or decimat\$4) near5 (template\$1 or reference or target)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
64	BRS	80	(((((feature or mark\$3 or pattern) near5 (detect\$4 or ident\$8 or locat\$4 or recogni\$9 or ((determin\$5 or analy\$5) near3 (presen\$3)))) same (correlat\$4 with (template or reference or target)) ) or ((template near5 (match\$4 or correlat\$4)) same (image))) and (((template\$1 or reference or target) near4 (multiple or plural\$3 or set or numerous or several)) same ((template\$1 or reference or target) near5 (train\$4))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
65	BRS	46	(((((feature or mark\$3 or pattern) near5 (detect\$4 or ident\$8 or locat\$4 or recogni\$9 or ((determin\$5 or analy\$5) near3 (presen\$3)))) same (correlat\$4 with (template or reference or target)) ) or ((template near5 (match\$4 or correlat\$4)) same (image))) and (((template\$1 or reference or target) near4 (multiple or plural\$3 or set or numerous or several)) same ((template\$1 or reference or target) near5 (train\$4)) and ((template\$1 or reference or target) near5 (feature or mark\$3 or pattern))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
66	BRS	0	(((((feature or mark\$3 or pattern) near5 (detect\$4 or ident\$8 or locat\$4 or recogni\$9 or ((determin\$5 or analy\$5) near3 (presen\$3)))) same (correlat\$4 with (template or reference or target)) ) or ((template near5 (match\$4 or correlat\$4)) same (image))) and (((template\$1 or reference or target) near4 (multiple or plural\$3 or set or numerous or several)) same ((template\$1 or reference or target) near5 (train\$4)) and ((template\$1 or reference or target) with ("not" near3 (feature or mark\$3 or pattern))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
67	BRS	0	(((((feature or mark\$3 or pattern) near5 (detect\$4 or ident\$8 or locat\$4 or recogni\$9 or ((determin\$5 or analy\$5) near3 (presen\$3)))) same (correlat\$4 with (template or reference or target)) ) or ((template near5 (match\$4 or correlat\$4)) same (image))) and (((template\$1 or reference or target) near4 (multiple or plural\$3 or set or numerous or several)) same (((template\$1 or reference or target) near5 (train\$4)) and ((template\$1 or reference or target) with ("not" near5 (feature or mark\$3 or pattern))))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
68	BRS	0	(((((feature or mark\$3 or pattern) near5 (detect\$4 or ident\$8 or locat\$4 or recogni\$9 or ((determin\$5 or analy\$5) near3 (presen\$3)))) same (correlat\$4 with (template or reference or target)) ) or ((template near5 (match\$4 or correlat\$4)) same (image))) and (((template\$1 or reference or target) near4 (multiple or plural\$3 or set or numerous or several)) same (((template\$1 or reference or target) with ("not" near5 (feature or mark\$3 or pattern))))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
69	BRS	0	(((((feature or mark\$3 or pattern) near5 (detect\$4 or ident\$8 or locat\$4 or recogni\$9 or ((determin\$5 or analy\$5) near3 (presen\$3)))) same (correlat\$4 with (template or reference or target)) ) or ((template near5 (match\$4 or correlat\$4)) same (image))) and (((template\$1 or reference or target) near4 (multiple or plural\$3 or set or numerous or several)) same (((template\$1 or reference or target) with ("not" with (feature or mark\$3 or pattern))))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB



	Type	Hits	Search Text	DBs
70	BRS	0	(((((feature or mark\$3 or pattern) near5 (detect\$4 or ident\$8 or locat\$4 or recogni\$9 or ((determin\$5 or analy\$5) near3 (presen\$3)))) same (correlat\$4 with (template or reference or target)) ) or ((template near5 (match\$4 or correlat\$4)) same (image))) and (((template\$1 or reference or target) near4 (multiple or plural\$3 or set or numerous or several)) same (((template\$1 or reference or target) with ("doesn't" with (feature or mark\$3 or pattern))))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
71	BRS	11199	((feature or mark\$3 or pattern) near5 (detect\$4 or ident\$8 or locat\$4 or recogni\$9 or ((determin\$5 or analy\$5) near3 (presen\$3)))) same (histogram or distribution)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
72	BRS	4648	382/141,144,145,147,148-151,159,160,168,170,209,278.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
73	BRS	357	(((((feature or mark\$3 or pattern) near5 (detect\$4 or ident\$8 or locat\$4 or recogni\$9 or ((determin\$5 or analy\$5) near3 (presen\$3)))) same (histogram or distribution)) and 382/141,144,145,147,148-151,159,160,168,170,209,278.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
74	BRS	1	((feature or mark\$3 or pattern) near5 (detect\$4 or ident\$8 or locat\$4 or recogni\$9 or ((determin\$5 or analy\$5) near3 (presen\$3)))) same ((histogram or distribution) with (euclidian near3 distance))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
75	BRS	163	((feature or mark\$3 or pattern) near5 (detect\$4 or ident\$8 or locat\$4 or recogni\$9 or ((determin\$5 or analy\$5) near3 (presen\$3)))) same ((histogram or distribution) near5 distance)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
76	BRS	4	382/141,144,145,147,148-151,159,160,168,170,209,278.ccls. and (((feature or mark\$3 or pattern) near5 (detect\$4 or ident\$8 or locat\$4 or recogni\$9 or ((determin\$5 or analy\$5) near3 (presen\$3)))) same ((histogram or distribution) near5 distance))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
77	IS&R	1	("5204911").PN.	USPAT
78	BRS	23	5204911.URPN.	USPAT
79	BRS	19	5204911.URPN. and (histogram or distribut\$5)	USPAT
80	BRS	178	382/170.ccls. and (histogram or distribut\$4)	USPAT
81	BRS	109	382/170.ccls. and ((histogram or distribut\$4) with (distance or compar\$6 or difference))	USPAT
82	BRS	1	6611622.pn. and (gray or grey)	USPAT
83	BRS	1	6611622.pn. and (histogram with distance)	USPAT
84	BRS	125	382/170.ccls. and ((feature or mark\$3 or pattern) near5 (detect\$4 or ident\$8 or locat\$4 or recogni\$9 or ((determin\$5 or analy\$5) near3 (presen\$3))))	USPAT
85	BRS	74	((382/170.ccls. and ((histogram or distribut\$4) with (distance or compar\$6 or difference))) and (382/170.ccls. and ((feature or mark\$3 or pattern) near5 (detect\$4 or ident\$8 or locat\$4 or recogni\$9 or ((determin\$5 or analy\$5) near3 (presen\$3))))))	USPAT
86	BRS	1	6611622.pn. and (object)	USPAT
87	BRS	1	6611622.pn. and (object near4 identi\$8)	USPAT
88	BRS	0	382/145,147.ccls. and 382/170.ccls.	USPAT
89	BRS	329	382/145,147.ccls. and ((feature or mark\$3 or pattern) near5 (detect\$4 or ident\$8 or locat\$4 or recogni\$9 or ((determin\$5 or analy\$5) near3 (presen\$3))))	USPAT

	Type	Hits	Search Text	DBs
90	BRS	280	382/145,147.ccls. and ((mark\$3 or pattern) near5 (detect\$4 or ident\$8 or locat\$4 or recogni\$9 or ((determin\$5 or analy\$5) near3 (presen\$3))))	USPAT
91	BRS	63	(382/145,147.ccls. and ((mark\$3 or pattern) near5 (detect\$4 or ident\$8 or locat\$4 or recogni\$9 or ((determin\$5 or analy\$5) near3 (presen\$3)))) and histogram	USPAT
92	BRS	4368	((((feature or mark\$3 or pattern) near5 (detect\$4 or ident\$8 or locat\$4 or recogni\$9 or ((determin\$5 or analy\$5) near3 (presen\$3)))) same (correlat\$4 with (template or reference or target)) ) or ((template near5 (match\$4 or correlat\$4)) same (image))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
93	BRS	2877	(((((feature or mark\$3 or pattern) near5 (detect\$4 or ident\$8 or locat\$4 or recogni\$9 or ((determin\$5 or analy\$5) near3 (presen\$3)))) same (correlat\$4 with (template or reference or target)) ) or ((template near5 (match\$4 or correlat\$4)) same (image)) ) same ((template or reference or target) near5 ("does near1 not") (feature or mark\$3 or pattern))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
94	BRS	83	(((((feature or mark\$3 or pattern) near5 (detect\$4 or ident\$8 or locat\$4 or recogni\$9 or ((determin\$5 or analy\$5) near3 (presen\$3)))) same (correlat\$4 with (template or reference or target)) ) or ((template near5 (match\$4 or correlat\$4)) same (image)) ) same (train\$4 with imag\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
95	BRS	154	(((((feature or mark\$3 or pattern) near5 (detect\$4 or ident\$8 or locat\$4 or recogni\$9 or ((determin\$5 or analy\$5) near3 (presen\$3)))) same (correlat\$4 with (template or reference or target)) ) or ((template near5 (match\$4 or correlat\$4)) same (image)) ) same (train\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
96	BRS	95	(((((feature or mark\$3 or pattern) near5 (detect\$4 or ident\$8 or locat\$4 or recogni\$9 or ((determin\$5 or analy\$5) near3 (presen\$3)))) same (correlat\$4 with (template or reference or target)) ) or ((template near5 (match\$4 or correlat\$4)) same (image)) ) same (train\$4)) same ((template or reference or target) near5 ("does near1 not") (feature or mark\$3 or pattern))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
97	BRS	95	(((((feature or mark\$3 or pattern) near5 (detect\$4 or ident\$8 or locat\$4 or recogni\$9 or ((determin\$5 or analy\$5) near3 (presen\$3)))) same (correlat\$4 with (template or reference or target)) ) or ((template near5 (match\$4 or correlat\$4)) same (image)) ) same (train\$4)) same ((template or reference or target) near5 (does near1 "not") (feature or mark\$3 or pattern))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
98	BRS	0	(((((feature or mark\$3 or pattern) near5 (detect\$4 or ident\$8 or locat\$4 or recogni\$9 or ((determin\$5 or analy\$5) near3 (presen\$3)))) same (correlat\$4 with (template or reference or target)) ) or ((template near5 (match\$4 or correlat\$4)) same (image)) ) same (train\$4)) same ((template or reference or target) near5 ("does near1 not") near5 (feature or mark\$3 or pattern))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
99	BRS	0	((((feature or mark\$3 or pattern) near5 (detect\$4 or ident\$8 or locat\$4 or recogni\$9 or ((determin\$5 or analy\$5) near3 (presen\$3)))) same (correlat\$4 with (template or reference or target)) ) or ((template near5 (match\$4 or correlat\$4)) same (image)) ) same (train\$4)) same ((template or reference or target) near5 ("not") near5 (feature or mark\$3 or pattern))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
100	BRS	0	((((feature or mark\$3 or pattern) near5 (detect\$4 or ident\$8 or locat\$4 or recogni\$9 or ((determin\$5 or analy\$5) near3 (presen\$3)))) same (correlat\$4 with (template or reference or target)) ) or ((template near5 (match\$4 or correlat\$4)) same (image)) ) same (train\$4)) same ((template or reference or target) with ("not") with (feature or mark\$3 or pattern))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB